



BAYCO
CLEANERS | CARE | HYGIENE

Product Catalogue

2019-20



Turkey

Discover
the potential



EXPERIENCE FROM QUALITY

BAYCO® products, produced in a production plant with 16,000 m2 indoors area in Turkey, Tuzla / ISTANBUL region, respecting the nature and the users, serves as a professional business partner for those customers with high quality expectations.

Additionally, we contract manufacture cosmetics, industrial cleaning and care products for more than 100 large companies in the production plant.

Activities for the following industries;

- * Hospitality Management
- * Health Care Institutions
- * Educational Institutions
- * Public Institutions
- * Food Companies
- * Restaurants and Cafes
- * Food Processing Plants
- * Facility Management Companies
- * Laundries
- * Industrial Plants

At the same time, our company with over 100 corporate clients of private label products by making its own brand manufactures.

Our company, cleanliness and hygiene, complete, accurate implementation;

Machinery - Equipment

Right Product

Manpower and Information

of a combination of factors all have argued that it is necessary. BAYCO® company in this direction, to help our friends in the accumulation of infrastructural equipment and would like to emphasize that.



Products bearing the EU Eco-label users gives the following messages:

- The wetland environments with a low on effect.
- Does not contain certain hazardous substances.
- Less potent than on aquatic organisms.
- A limited effect in the growth of algae in water has.
- Substantially biodegradable.
- Less packaging is used.
- Provides information about the proper use of nature.
- At least as effective as products in the marketplace performance.

TABLE OF CONTENTS



GENERAL CLEANING PRODUCTS	4-5
BATH, WC CLEANING PRODUCTS	6-7
FLOOR CLEANING AND POLISH CARE PRODUCTS	8-9
HOUSEKEEPING SYSTEM PRODUCTS	10-15
DIRT, POLISH AND OIL CLEANING PRODUCTS	16-17
POLISH PRODUCTS	18-19
FLOOR CARE PRODUCTS	20-21
CARPET CLEANING PRODUCTS	22-23
DISINFECTANT CLEANER EFFECTIVE	22-23
SPECIAL PRODUCTS	24-25
KITCHEN HYGIENE PRODUCTS	26-29
TEXTILE HYGIENE PRODUCTS	30-35
PERSONAL HYGIENE AND MAINTENANCE PRODUCTS	36-37
ACCESSORIES / AUXILIARY EQUIPMENT	38
EXPLANATION OF USE STATEMENT, STUDY METHODS	39



ALKO CLEAN

Alcohol-Based
General Cleaning Product



Maintaining an in-depth cleaning of all washable surfaces and fixtures generally used for the purpose of alcohol-based cleaner. All furniture, mirrors, glass, plastic surfaces, lacquer, enamel, walls, natural and artificial stone, laminate, PVC, linoleum, polished wood and surfaces such as cork flooring and is suitable for use on all surfaces which include the dust. It has a lasting lemon fragrance.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
1104	1 L (0,98 kg) bottle	12 pcs. in the box	50 cartons
1105	10 L (9,80 kg) can	1 can	60 can



NEO VOLL

General Cleaning Product

Re- lubricant or general cleaning produce which does not include pellicle . All the furniture, mirrors, glass, plastic surfaces, walls, laminate, PVC, artificial and natural stone floors, ceramic floors etc. Suitable for use on all surfaces and floors that can be taken as a strong dust general cleaner. Dries quickly without leaving traces on surfaces cleaned and stain. It contains refresh pine scent.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
1106	1 L (1,03 kg) bottle	12 pcs. in the box	50 cartons
1107	5 L (5,17 kg) can	4 pcs. in the box	36 cartons
1108	20 L (20,70 kg) can	1 can	32 can



GLANZID

General Cleaning Product

All furniture, plastic surfaces, walls, linoleum, PVC, rubber, ceramic, granite floors, etc. Suitable for use on all surfaces and floors can be as dust, ammonia-free highly perfumed general cleaning product. Cleaning and stain surfaces without trace dries quickly, does not require rinsing. it has a lasting tropical fragrance.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
1111	5 L (5,00 kg) can	4 pcs. in the box	36 cartons
1112	20 L (20,00 kg) can	1 can	32 can



Uses

Effect


☒ Cleansing ☐ Care Maker / Safety

Suitable Surfaces

- | | | |
|--|--|---|
| <input checked="" type="radio"/> PVC | <input checked="" type="radio"/> Acid-resistant natural / plastic material | <input checked="" type="radio"/> Epoxy |
| <input checked="" type="radio"/> Linoleum | <input checked="" type="radio"/> Marble | <input checked="" type="radio"/> Wood (Polished) |
| <input checked="" type="radio"/> Elastomeric material (rubber) | <input checked="" type="radio"/> Cast Mosaic (Terrazzo) | <input checked="" type="radio"/> Laminate |
| <input checked="" type="radio"/> Enriched polyurethane elastic floor coverings | <input checked="" type="radio"/> Acid Proof Tiles | <input checked="" type="radio"/> Plastic Surfaces |
| <input checked="" type="radio"/> Polyurethane | <input checked="" type="radio"/> Porcelain | <input checked="" type="radio"/> Chrome / Stainless Steel |
| | <input checked="" type="radio"/> Alum | <input checked="" type="radio"/> Ceramics / Porcelain |



Dosage



Correct Dosing provides less consumption and protects the environment



Product topdos to the mouth of the bottle dosing head (20 ml) apparatus is attached to the correct dosing.

pH-value of about

4 5 6 7 8 9 10
PH-value of about



Spray head empty bottle - 650 ml surface Cleaner

Working Methods



Uses

Effect

☒ Cleansing ☐ Care Maker / Safety

Suitable Surfaces

- | | | |
|--|--|---|
| <input checked="" type="radio"/> PVC | <input checked="" type="radio"/> Acid-resistant natural / plastic material | <input checked="" type="radio"/> Epoxy |
| <input checked="" type="radio"/> Linoleum | <input checked="" type="radio"/> Marble | <input checked="" type="radio"/> Wood (Polished) |
| <input checked="" type="radio"/> Elastomeric material (rubber) | <input checked="" type="radio"/> Cast Mosaic (Terrazzo) | <input checked="" type="radio"/> Laminate |
| <input checked="" type="radio"/> Enriched polyurethane elastic floor coverings | <input checked="" type="radio"/> Acid Proof Tiles | <input checked="" type="radio"/> Plastic Surfaces |
| <input checked="" type="radio"/> Polyurethane | <input checked="" type="radio"/> Porcelain | <input checked="" type="radio"/> Chrome / Stainless Steel |
| | <input checked="" type="radio"/> Alum | <input checked="" type="radio"/> Ceramics / Porcelain |



Dosage



Correct Dosing provides less consumption and protects the environment



Product topdos to the mouth of the bottle dosing head (20 ml) apparatus is attached to the correct dosing.

pH-value of about

6 7 8 9 10 11 12
PH-value of about



Spray head empty bottle - 650 ml surface Cleaner

Working Methods



Uses

Effect


☒ Cleansing ☐ Care Maker / Safety

Suitable Surfaces

- | | | |
|--|--|---|
| <input checked="" type="radio"/> PVC | <input checked="" type="radio"/> Acid-resistant natural / plastic material | <input checked="" type="radio"/> Epoxy |
| <input checked="" type="radio"/> Linoleum | <input checked="" type="radio"/> Marble | <input checked="" type="radio"/> Wood (Polished) |
| <input checked="" type="radio"/> Elastomeric material (rubber) | <input checked="" type="radio"/> Cast Mosaic (Terrazzo) | <input checked="" type="radio"/> Laminate |
| <input checked="" type="radio"/> Enriched polyurethane elastic floor coverings | <input checked="" type="radio"/> Acid Proof Tiles | <input checked="" type="radio"/> Plastic Surfaces |
| <input checked="" type="radio"/> Polyurethane | <input checked="" type="radio"/> Porcelain | <input checked="" type="radio"/> Chrome / Stainless Steel |
| | <input checked="" type="radio"/> Alum | <input checked="" type="radio"/> Ceramics / Porcelain |



Dosage



Correct Dosing provides less consumption and protects the environment

pH-value of about

4 5 6 7 8 9 10
PH-value of about



Working Methods



SANIZID

Bathroom, WC Cleaner

Sanizid uses for ; sanitary spaces (bathroom, wc, shower areas) and acid-resistant surfaces cleans the floors, provide care. Material, while maintaining a strong and rapidly limes,oil stains, urea blocks hygienically clean. Especially fountains, sinks, shower cabin,bathtubs, urinals environment, acid-resistant ceramic floors above, and joint gaps used for cleaning. The elegant fragrance with a pleasant, very warm sanitary areas, for example ;baths, nursing homes, hospitals, indoor swimming pools can be used seamlessly. SANIZID does not include paint, so the paint on the open-pored material does not leave residues. Red is the color code in order to avoid confusion.The product shouldn't use for all materials used for marble, artificial stone and acid-sensitive.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
2104	1 L (1,03 kg) bottle	12 pcs. in the box	50 cartons
2105	5 L (5,15 kg) can	4 pcs. in the box	36 cartons



SANITA PLUS

Powerful Bathroom, WC Cleaner

All sanitary spaces (wc, bath, shower areas) accumulated lime deposits, rust, urine residue, traces of greasy dirt and soap, quickly removes stubborn dirt, such as cement residues, hygiene. Protects the material during clean-up, prevents corrosion damage. Especially fountains, sinks, shower cabin, bathtubs, urinals surroundings, via acid-resistant ceramic floors and grouting gaps can be used for cleaning.The product shouldn't use for marble, artificial stone and acid-sensitive of all the materials used. After construction is suitable for general cleaning applications.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
2107	1 L (1,15 kg) bottle	12 pcs. in the box	50 cartons
2108	10 L (11,50 kg) can	1 can	60 can



WC PLUS

Toilet Cleaner

Formed inside closets and urinals rust, lime, oil, urea accumulated layers are used to provide clean and hygienic. Adheres to vertical surfaces because it is a dense, curly head of the bottle allows easy access of the product to the desired point. Blocking urine smell is pleasant and long lasting fragrance.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
2110	1 L (1,03 kg) bottle	12 pcs. in the box	50 cartons




Uses

Effect

☒ Cleansing ☐ Care Maker / Safety

Suitable Surfaces

- | | | |
|--|--|---|
| <input checked="" type="radio"/> PVC | <input checked="" type="radio"/> Acid-resistant natural / plastic material | <input checked="" type="radio"/> Epoxy |
| <input checked="" type="radio"/> Linoleum | <input checked="" type="radio"/> Marble | <input checked="" type="radio"/> Wood (Polished) |
| <input checked="" type="radio"/> Elastomeric material (rubber) | <input checked="" type="radio"/> Cast Mosaic (Terrazzo) | <input checked="" type="radio"/> Laminate |
| <input checked="" type="radio"/> Enriched polyurethane elastic floor coverings | <input checked="" type="radio"/> Acid Proof Tiles | <input checked="" type="radio"/> Plastic Surfaces |
| <input checked="" type="radio"/> Polyurethane | <input checked="" type="radio"/> Porcelain | <input checked="" type="radio"/> Chrome / Stainless Steel |
| | <input checked="" type="radio"/> Alum | <input checked="" type="radio"/> Ceramics / Porcelain |



Dosage



Correct Dosing provides less consumption and protects the environment

pH-value of about

undiluted
0 1 2 3 4 5 6
PH-value of about



Spray head, Foam Apparatus - 650 ml empty bottle sanitary cleaners

Working Methods



Uses

Effect


☒ Cleansing ☐ Care Maker / Safety

Suitable Surfaces

- | | | |
|--|--|---|
| <input checked="" type="radio"/> PVC | <input checked="" type="radio"/> Acid-resistant natural / plastic material | <input checked="" type="radio"/> Epoxy |
| <input checked="" type="radio"/> Linoleum | <input checked="" type="radio"/> Marble | <input checked="" type="radio"/> Wood (Polished) |
| <input checked="" type="radio"/> Elastomeric material (rubber) | <input checked="" type="radio"/> Cast Mosaic (Terrazzo) | <input checked="" type="radio"/> Laminate |
| <input checked="" type="radio"/> Enriched polyurethane elastic floor coverings | <input checked="" type="radio"/> Acid Proof Tiles | <input checked="" type="radio"/> Plastic Surfaces |
| <input checked="" type="radio"/> Polyurethane | <input checked="" type="radio"/> Porcelain | <input checked="" type="radio"/> Chrome / Stainless Steel |
| | <input checked="" type="radio"/> Alum | <input checked="" type="radio"/> Ceramics / Porcelain |



Dosage



Correct Dosing provides less consumption and protects the environment



Product topdos to the mouth of the bottle dosing head (20 ml) apparatus is attached to the correct dosing.

pH-value of about

undiluted
0 1 2 3 4 5 6
PH-value of about



Spray head, Foam Apparatus - 650 ml empty bottle sanitary cleaners

Working Methods



Uses

Effect

☒ Cleansing ☐ Care Maker / Safety

Suitable Surfaces

- | | | |
|--|--|---|
| <input checked="" type="radio"/> PVC | <input checked="" type="radio"/> Acid-resistant natural / plastic material | <input checked="" type="radio"/> Epoxy |
| <input checked="" type="radio"/> Linoleum | <input checked="" type="radio"/> Marble | <input checked="" type="radio"/> Wood (Polished) |
| <input checked="" type="radio"/> Elastomeric material (rubber) | <input checked="" type="radio"/> Cast Mosaic (Terrazzo) | <input checked="" type="radio"/> Laminate |
| <input checked="" type="radio"/> Enriched polyurethane elastic floor coverings | <input checked="" type="radio"/> Acid Proof Tiles | <input checked="" type="radio"/> Plastic Surfaces |
| <input checked="" type="radio"/> Polyurethane | <input checked="" type="radio"/> Porcelain | <input checked="" type="radio"/> Chrome / Stainless Steel |
| | <input checked="" type="radio"/> Alum | <input checked="" type="radio"/> Ceramics / Porcelain |



Dosage



Correct Dosing provides less consumption and protects the environment

pH-value of about

undiluted
0 1 2 3 4 5 6

Working Methods





DURO KONZENTRAT

Floor Cleaning and Polishing
Care Product

High-Concentrate



DURO VOLL

Floor Cleaning and Polishing
Care Product



TARA SPEZIAL

Including Intensive Polish Care and
Cleaning Product



Polish and unfiltered PVC, linoleum, rubber, marble, epoxy, natural stone, and so on. All floor coverings, such as the daily mop and cleaning to do with the machine applications. Sports floor coverings suitable for cleaning. 5-times has a high concentration intensified. Thanks to the content of polymers polish has the ability to perform maintenance. Product does not create residue and layer. Maintenance and polishing can be done with high speed polishing machine. The product has refreshing lemon scent.

2 L of concentrated product obtains 200 pcs 8 L mop solution.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
1515	2 L (2,02 kg) bottle	2 pcs in the box	100 cartons

All water-resistant floor tiles, polished and unpolished floor cleaning product that is suitable for daily cleaning and maintenance. PVC, linoleum, rubber, marble, epoxy, natural stone, and so on. All floor coverings, such as the simple cleaning to do with daily mop and machine applications. Polymers are capable of doing with the content of care polish. Product does not create residue and layer. The product has refreshing lemon scent.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
3104	1 L (0,98 kg) bottle	12 pcs. in the box	50 cartons
3105	5 L (4,90 kg) can	4 pcs. in the box	36 cartons
3106	20 L (19,60 kg) can	1 can	32 can

Existing content, glossy film with heavy varnish layer in the dirt floor of the fastest make it easier to hold and prevents subsequent treatments. Frequent polishing published elsewhere a layer of high-speed machine on the damage repaired. TARA SPEZIAL spray cleaner and can also be used for maintenance purposes. With a busy polishing the content of polymers floor covering is capable of feeding and cleaning. Water resistant PVC floors, linoleum, rubber, natural and artificial stone floors are ideal for cleaning and maintenance.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
3108	5 L (5,07 kg) can	4 pcs. in the box	36 cartons




Uses

Effect


- ☒ Cleansing ☒ Care Maker / Safety

Suitable Surfaces

- | | | |
|---|---|--|
| <input type="radio"/> PVC | <input type="radio"/> Acid-resistant natural / plastic material | <input type="radio"/> Epoxy |
| <input type="radio"/> Linoleum | <input type="radio"/> Marble | <input type="radio"/> Wood (Polished) |
| <input type="radio"/> Elastomeric material (rubber) | <input type="radio"/> Cast Mosaic (Terrazzo) | <input type="radio"/> Laminate |
| <input type="radio"/> Enriched polyurethane elastic floor coverings | <input type="radio"/> Acid Proof Tiles | <input type="radio"/> Plastic Surfaces |
| <input type="radio"/> Polyurethane | <input type="radio"/> Porcelain | <input type="radio"/> Chrome / Stainless Steel |
| | <input type="radio"/> Alum | <input type="radio"/> Ceramics / Porcelain |



Dosage



Correct Dosing provides less consumption and protects the environment




BAYCO MULTI COMPACT 4
Products Dilution Unit

pH-value of about

4 5 6 7 8 9 10
PH-value of about

Working Methods



Uses

Effect


- ☒ Cleansing ☒ Care Maker / Safety

Suitable Surfaces

- | | | |
|---|---|--|
| <input type="radio"/> PVC | <input type="radio"/> Acid-resistant natural / plastic material | <input type="radio"/> Epoxy |
| <input type="radio"/> Linoleum | <input type="radio"/> Marble | <input type="radio"/> Wood (Polished) |
| <input type="radio"/> Elastomeric material (rubber) | <input type="radio"/> Cast Mosaic (Terrazzo) | <input type="radio"/> Laminate |
| <input type="radio"/> Enriched polyurethane elastic floor coverings | <input type="radio"/> Acid Proof Tiles | <input type="radio"/> Plastic Surfaces |
| <input type="radio"/> Polyurethane | <input type="radio"/> Porcelain | <input type="radio"/> Chrome / Stainless Steel |
| | <input type="radio"/> Alum | <input type="radio"/> Ceramics / Porcelain |



Dosage



Correct Dosing provides less consumption and protects the environment



Product topdos to the mouth of the bottle dosing head (20 ml) apparatus is attached to the correct dosing.

pH-value of about

5 6 7 8 9 10 11
PH-value of about

Working Methods



Uses

Effect

- ☒ Cleansing ☒ Care Maker / Safety

Suitable Surfaces

- | | | |
|---|---|--|
| <input type="radio"/> PVC | <input type="radio"/> Acid-resistant natural / plastic material | <input type="radio"/> Epoxy |
| <input type="radio"/> Linoleum | <input type="radio"/> Marble | <input type="radio"/> Wood (Polished) |
| <input type="radio"/> Elastomeric material (rubber) | <input type="radio"/> Cast Mosaic (Terrazzo) | <input type="radio"/> Laminate |
| <input type="radio"/> Enriched polyurethane elastic floor coverings | <input type="radio"/> Acid Proof Tiles | <input type="radio"/> Plastic Surfaces |
| <input type="radio"/> Polyurethane | <input type="radio"/> Porcelain | <input type="radio"/> Chrome / Stainless Steel |
| | <input type="radio"/> Alum | <input type="radio"/> Ceramics / Porcelain |



Dosage



Correct Dosing provides less consumption and protects the environment

pH-value of about

6 7 8 9 10 11 12
PH-value of about

Working Methods





KONZENTRAT

ADVANTAGES OF HIGH CONCENTRATED PRODUCTS

- New Generation Hygiene And Cleaning System
- Increase Product Performance By Accurate Dosing With Dilution Machine
- Workers No Contact With Chemicals
- Significantly Saving Costs
- Color Coding Prevents From Users Making Mistakes
- Provides Ease Of Stocking

HOUSEKEEPING SYSTEM PRODUCTS



BAYCO MULTI COMPACT 4
Products Dilution Unit



NEO KONZENTRAT

Alcohol-Based General
Cleaning Product
High-Concentrate

All washable floors and furniture suitable for use in high-concentration with a general cleaner. Especially polished tiles, covered with plastic material and painted surfaces, polished artificial, natural stone coverings, likewise suitable for windows and mirrors. Through a combination of the active ingredient in concentrated trace and residue-free cleaning. Acts quickly trace and leaves no residue. Dries quickly without the need for rinsing. Has the effect of brightening due to alcohol content.

2 L of concentrated product obtains 200-300 pcs, 650 ml bottles solution.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
1511	2 L (1,95 kg) bottle	2 pcs in the box	100 cartons



SANITAR KONZENTRAT

Acid Bathroom Cleaner
High-Concentrate

All sanitary areas (bath, shower areas) accumulated lime deposits, rust, urine residue, such as traces of greasy dirt and soap quickly removes stubborn dirt, hygiene. Protects the material during clean-up, prevents corrosion damage. Especially fountains, sinks, shower cabins, bathtubs, urinals surroundings, on acid-resistant ceramic floors and joint gaps can be used for cleaning. The product shouldn't use for marble, artificial stone and all materials used in acid-sensitive.

2 L of concentrated product obtains 80 pcs, 650 ml bottles solution.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
1517	2 L (2,30 kg) bottle	2 pcs in the box	100 cartons



SANI KONZENTRAT

Acid-free Bathroom Cleaner
High-Concentrate

Daily cleaning of all washable surfaces and floor coverings that are suitable for high-concentration bathroom cleaner. Acid and phosphate free. Fountains, sinks, bathtubs and shower cabins formed on the skin oils, soap stains, lime stains, easy to clean and hygiene of the product is provided in a process due to the alkaline nature. SANI KONZENTRAT can be safely used on surfaces covered with marble. Also ideal for cleaning pools shower areas. The product blocks limestone formation and it has a pleasant and sympathetic smell.

2 L of concentrated product obtains 100 pcs, 650 ml bottles solution.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
1513	2 L (2,10 kg) bottle	2 pcs in the box	100 cartons



Uses

Effect


- ☒ Cleansing ☐ Care Maker / Safety

Suitable Surfaces

- | | | |
|--|--|---|
| <input checked="" type="radio"/> PVC | <input checked="" type="radio"/> Acid-resistant natural / plastic material | <input checked="" type="radio"/> Epoxy |
| <input checked="" type="radio"/> Linoleum | <input checked="" type="radio"/> Marble | <input checked="" type="radio"/> Wood (Polished) |
| <input checked="" type="radio"/> Elastomeric material (rubber) | <input checked="" type="radio"/> Cast Mosaic (Terrazzo) | <input checked="" type="radio"/> Laminate |
| <input checked="" type="radio"/> Enriched polyurethane elastic floor coverings | <input checked="" type="radio"/> Acid Proof Tiles | <input checked="" type="radio"/> Plastic Surfaces |
| <input checked="" type="radio"/> Polyurethane | <input checked="" type="radio"/> Porcelain | <input checked="" type="radio"/> Chrome / Stainless Steel |
| | <input checked="" type="radio"/> Alum | <input checked="" type="radio"/> Ceramics / Porcelain |



Dosage



Correct Dosing provides less consumption and protects the environment



BAYCO MULTI
COMPACT 4
Products Dilution Unit

pH-value of about



Spray head empty
bottle - 650 ml
Surface Cleaner

Working Methods



Uses

Effect


- ☒ Cleansing ☐ Care Maker / Safety

Suitable Surfaces

- | | | |
|--|--|---|
| <input checked="" type="radio"/> PVC | <input checked="" type="radio"/> Acid-resistant natural / plastic material | <input checked="" type="radio"/> Epoxy |
| <input checked="" type="radio"/> Linoleum | <input checked="" type="radio"/> Marble | <input checked="" type="radio"/> Wood (Polished) |
| <input checked="" type="radio"/> Elastomeric material (rubber) | <input checked="" type="radio"/> Cast Mosaic (Terrazzo) | <input checked="" type="radio"/> Laminate |
| <input checked="" type="radio"/> Enriched polyurethane elastic floor coverings | <input checked="" type="radio"/> Acid Proof Tiles | <input checked="" type="radio"/> Plastic Surfaces |
| <input checked="" type="radio"/> Polyurethane | <input checked="" type="radio"/> Porcelain | <input checked="" type="radio"/> Chrome / Stainless Steel |
| | <input checked="" type="radio"/> Alum | <input checked="" type="radio"/> Ceramics / Porcelain |



Dosage



Correct Dosing provides less consumption and protects the environment



BAYCO MULTI
COMPACT 4
Products Dilution Unit

pH-value of about



Spray head empty
bottle - 650 ml
Saniter Cleansing

Working Methods



Uses

Effect


- ☒ Cleansing ☐ Care Maker / Safety

Suitable Surfaces

- | | | |
|--|--|---|
| <input checked="" type="radio"/> PVC | <input checked="" type="radio"/> Acid-resistant natural / plastic material | <input checked="" type="radio"/> Epoxy |
| <input checked="" type="radio"/> Linoleum | <input checked="" type="radio"/> Marble | <input checked="" type="radio"/> Wood (Polished) |
| <input checked="" type="radio"/> Elastomeric material (rubber) | <input checked="" type="radio"/> Cast Mosaic (Terrazzo) | <input checked="" type="radio"/> Laminate |
| <input checked="" type="radio"/> Enriched polyurethane elastic floor coverings | <input checked="" type="radio"/> Acid Proof Tiles | <input checked="" type="radio"/> Plastic Surfaces |
| <input checked="" type="radio"/> Polyurethane | <input checked="" type="radio"/> Porcelain | <input checked="" type="radio"/> Chrome / Stainless Steel |
| | <input checked="" type="radio"/> Alum | <input checked="" type="radio"/> Ceramics / Porcelain |



Dosage



Correct Dosing provides less consumption and protects the environment



BAYCO MULTI
COMPACT 4
Products Dilution Unit

pH-value of about



Spray head empty
bottle - 650 ml
Saniter Cleansing

Working Methods





WC KONZENTRAT

Toilet Cleaner
High-Concentrate

Formed inside closets and urinals rust, lime, oil, urea accumulated layers are used to provide clean and hygienic. Adheres to vertical surfaces because it is viscous. Blocking the smell of urine, has a pleasant smell and long lasting.

2 L of concentrated product obtains 66 pcs, 650 ml bottles solution.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
1518	2 L (2,84 kg) bottle	2 pcs in the box	100 cartons



AIR KONZENTRAT

Room Fragrance, Fragrance Oil
Tropical Flower – Lemon
High-Concentrate

Concentrated fragrance oil. Through intense perfume contains irritating odors, leaving a pleasant smell permanently environment. A refreshing fragrance remains in effect for a long time.

2 L of concentrated product obtains 80 pcs, 500 ml bottles solution.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
1519	2 L (1,90 kg) bottle	2 pcs in the box	100 cartons



DURO KONZENTRAT

Floor Cleaning and Polishing
Care Product
High-Concentrate

Water-resistant linoleum, PVC, epoxy floors, including natural and artificial stones polished floors, cleaning and care. The product has high-concentration Thanks to the content of water soluble polymer it does not generate layer and dark bands It does not need basic cleaning and polishing so it makes a perfect floor care. Suitable for use with mop and floor washing machines. Polymer is left on the floor maintenance film, with a polished high-speed machines. To do with the method of spraying Ideal for cleaning and maintenance applications. Refreshing lemon scent.

2 L of concentrated product obtains 200 pcs 10 L mop solution.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
1515	2 L (2,02 kg) bottle	2 pcs in the box	100 cartons



Uses

Effect

- ☒ Cleansing ☐ Care Maker / Safety

Suitable Surfaces

- | | | |
|--|--|---|
| <input checked="" type="radio"/> PVC | <input checked="" type="radio"/> Acid-resistant natural / plastic material | <input checked="" type="radio"/> Epoxy |
| <input checked="" type="radio"/> Linoleum | <input checked="" type="radio"/> Marble | <input checked="" type="radio"/> Wood (Polished) |
| <input checked="" type="radio"/> Elastomeric material (rubber) | <input checked="" type="radio"/> Cast Mosaic (Terrazzo) | <input checked="" type="radio"/> Laminate |
| <input checked="" type="radio"/> Enriched polyurethane elastic floor coverings | <input checked="" type="radio"/> Acid Proof Tiles | <input checked="" type="radio"/> Plastic Surfaces |
| <input checked="" type="radio"/> Polyurethane | <input checked="" type="radio"/> Porcelain | <input checked="" type="radio"/> Chrome / Stainless Steel |
| | <input checked="" type="radio"/> Alum | <input checked="" type="radio"/> Ceramics / Porcelain |



Dosage



Ecomulti dosage unit in the 30-50 ml product are placed % 5-8



Correct Dosing provides less consumption and protects the environment



BAYCO MULTI
COMPACT 4
Products Dilution Unit



Spray head, Foam
Apparatus 650
ml empty bottle -
Toilet Cleaner

pH-value of about


0 1 2 3 4 5 6
PH-value of about

Working Methods



Uses

Dosage



Ecomulti dosage unit in the 25-40 ml product are placed % 5 - 7

Correct Dosing provides less consumption and protects the environment



BAYCO MULTI
COMPACT 4
Products Dilution Unit



Spray head 500
ml empty bottle -
Air Conditioner

pH-value of about

2 3 4 5 6 7 8
PH-value of about

Working Methods



Uses

Effect


- ☒ Cleansing ☒ Care Maker / Safety

Suitable Surfaces

- | | | |
|--|--|---|
| <input checked="" type="radio"/> PVC | <input checked="" type="radio"/> Acid-resistant natural / plastic material | <input checked="" type="radio"/> Epoxy |
| <input checked="" type="radio"/> Linoleum | <input checked="" type="radio"/> Marble | <input checked="" type="radio"/> Wood (Polished) |
| <input checked="" type="radio"/> Elastomeric material (rubber) | <input checked="" type="radio"/> Cast Mosaic (Terrazzo) | <input checked="" type="radio"/> Laminate |
| <input checked="" type="radio"/> Enriched polyurethane elastic floor coverings | <input checked="" type="radio"/> Acid Proof Tiles | <input checked="" type="radio"/> Plastic Surfaces |
| <input checked="" type="radio"/> Polyurethane | <input checked="" type="radio"/> Porcelain | <input checked="" type="radio"/> Chrome / Stainless Steel |
| | <input checked="" type="radio"/> Alum | <input checked="" type="radio"/> Ceramics / Porcelain |



Dosage



Correct Dosing provides less consumption and protects the environment



BAYCO MULTI
COMPACT 4
Products Dilution Unit

pH-value of about

4 5 6 7 8 9 10
PH-value of about

Working Methods





TARA FIX

For Delicate Surfaces of Dirt, Paint and Oil Ripper - A Versatile Cleaner

That can be used on sensitive surfaces and floor coverings, oil, dirt and varnish layers with the aim of cleaning performance with a powerful universal cleaner. New floor finish prepare the application. All floor coverings in water and alkali-resistant. Care products consisting of layers of film and stubborn dirt. Especially dirt, grease, soot, nicotine, tire tracks, hard surfaces is effective in removing dirt and scratches.

Floor covering manufacturers' use of the information which they provide in terms of technique should be considered.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
4102	20 L (21,40 kg) can	1 can	32 can



POLYMER EX

Heavy Dirt, Varnish and Degreaser

Settled on the ground, and surface layers of lacquer, easily removes oil and dirt. Prepare a new application of the floor polish. , excluding wood and linoleum surface, water and alkali-resistant floor coverings in all.

Floor covering manufacturers' use of the information which they provide in terms of technique should be considered.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
4103	5 L (5,07 kg) can	1 can	36 cartons
4104	20 L (20,30 kg) can	1 can	32 can



MULTI POWER

Dirt and Grease Remover

Alkali-resistant floor coverings on all surfaces and soils fats are used to eliminate. Ceramic and stone tiles are ideal for flooring. MULTI POWER is suitable for high-pressure cleaning equipment and floor washing machines. Alkaline cleaning of the swimming pool area can be used.

Floor covering manufacturers' use of the information which they provide in terms of technique should be considered.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
4105	20 L (19,80 kg) can	1 can	32 can



COMBIDUR

For Porous Surfaces Cleaner

Suitable for use in micro-porous floor tiles, high alkaline content, soil cleaner. Thanks to the special composition and retarding agents in the contamination, cleaning solution penetrates the pores on the surface and easily removes stubborn dirt. Indoor and outdoor porcelain tiles, marble, natural stones, etc. such as alkalis and water-resistant, soft, rough or porous surfaces suitable for cleaning micro. Ideal for use in floor washing machines. It shouldn't be used on linoleum, rubber coatings.

Floor covering manufacturers' use of the information which they provide in terms of technique should be considered.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
4109	20 L (20,40 kg) can	1 can	32 can



MULTIMAT

Dirt, Oil and Solvent Rubber Track

Used to remove dirt and oils that have occurred floors and surfaces. It is suitable for all surfaces which are resistant Alkali. Truck, car tires and so on. for reasons such as tire tracks of surfaces, such as rubber, are effective in removing difficult stains. MULTIMAT can be used for floor washing machines.

Floor covering manufacturers' use of the information which they provide in terms of technique should be considered.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
4108	20 L (21,50 kg) can	1 can	32 can

Uses

Effect


☒ Cleansing ☐ Care Maker / Safety

Suitable Surfaces

- | | | |
|---|---|--|
| <input type="radio"/> PVC | <input type="radio"/> Acid-resistant natural / plastic material | <input type="radio"/> Epoxy |
| <input type="radio"/> Linoleum | <input type="radio"/> Marble | <input type="radio"/> Wood (Polished) |
| <input type="radio"/> Elastomeric material (rubber) | <input type="radio"/> Cast Mosaic (Terrazzo) | <input type="radio"/> Laminate |
| <input type="radio"/> Enriched polyurethane elastic floor coverings | <input type="radio"/> Acid Proof Tiles | <input type="radio"/> Plastic Surfaces |
| <input type="radio"/> Polyurethane | <input type="radio"/> Porcelain | <input type="radio"/> Chrome / Stainless Steel |
| | <input type="radio"/> Alum | <input type="radio"/> Ceramics / Porcelain |



Dosage



1 : 3 - 1 : 10

pH-value of about

8 | 9 | 10 | 11 | 12 | 13 | 14

PH-value of about

Working Methods



Uses

Effect


☒ Cleansing ☐ Care Maker / Safety

Suitable Surfaces

- | | | |
|---|---|--|
| <input type="radio"/> PVC | <input type="radio"/> Acid-resistant natural / plastic material | <input type="radio"/> Epoxy |
| <input type="radio"/> Linoleum | <input type="radio"/> Marble | <input type="radio"/> Wood (Polished) |
| <input type="radio"/> Elastomeric material (rubber) | <input type="radio"/> Cast Mosaic (Terrazzo) | <input type="radio"/> Laminate |
| <input type="radio"/> Enriched polyurethane elastic floor coverings | <input type="radio"/> Acid Proof Tiles | <input type="radio"/> Plastic Surfaces |
| <input type="radio"/> Polyurethane | <input type="radio"/> Porcelain | <input type="radio"/> Chrome / Stainless Steel |
| | <input type="radio"/> Alum | <input type="radio"/> Ceramics / Porcelain |



Dosage



1 : 3 - 1 : 10

pH-value of about

8 | 9 | 10 | 11 | 12 | 13 | 14

PH-value of about

Working Methods



Uses

Effect


☒ Cleansing ☐ Care Maker / Safety

Suitable Surfaces

- | | | |
|---|---|--|
| <input type="radio"/> PVC | <input type="radio"/> Acid-resistant natural / plastic material | <input type="radio"/> Epoxy |
| <input type="radio"/> Linoleum | <input type="radio"/> Marble | <input type="radio"/> Wood (Polished) |
| <input type="radio"/> Elastomeric material (rubber) | <input type="radio"/> Cast Mosaic (Terrazzo) | <input type="radio"/> Laminate |
| <input type="radio"/> Enriched polyurethane elastic floor coverings | <input type="radio"/> Acid Proof Tiles | <input type="radio"/> Plastic Surfaces |
| <input type="radio"/> Polyurethane | <input type="radio"/> Porcelain | <input type="radio"/> Chrome / Stainless Steel |
| | <input type="radio"/> Alum | <input type="radio"/> Ceramics / Porcelain |



Dosage



pH-value of about

6 | 7 | 8 | 9 | 10 | 11 | 12

PH-value of about

Working Methods



Uses

Effect


☒ Cleansing ☐ Care Maker / Safety

Suitable Surfaces

- | | | |
|---|---|--|
| <input type="radio"/> PVC | <input type="radio"/> Acid-resistant natural / plastic material | <input type="radio"/> Epoxy |
| <input type="radio"/> Linoleum | <input type="radio"/> Marble | <input type="radio"/> Wood (Polished) |
| <input type="radio"/> Elastomeric material (rubber) | <input type="radio"/> Cast Mosaic (Terrazzo) | <input type="radio"/> Laminate |
| <input type="radio"/> Enriched polyurethane elastic floor coverings | <input type="radio"/> Acid Proof Tiles | <input type="radio"/> Plastic Surfaces |
| <input type="radio"/> Polyurethane | <input type="radio"/> Porcelain | <input type="radio"/> Chrome / Stainless Steel |
| | <input type="radio"/> Alum | <input type="radio"/> Ceramics / Porcelain |



Dosage



pH-value of about

8 | 9 | 10 | 11 | 12 | 13 | 14

PH-value of about

Working Methods



Uses

Effect


☒ Cleansing ☐ Care Maker / Safety

Suitable Surfaces

- | | | |
|---|---|--|
| <input type="radio"/> PVC | <input type="radio"/> Acid-resistant natural / plastic material | <input type="radio"/> Epoxy |
| <input type="radio"/> Linoleum | <input type="radio"/> Marble | <input type="radio"/> Wood (Polished) |
| <input type="radio"/> Elastomeric material (rubber) | <input type="radio"/> Cast Mosaic (Terrazzo) | <input type="radio"/> Laminate |
| <input type="radio"/> Enriched polyurethane elastic floor coverings | <input type="radio"/> Acid Proof Tiles | <input type="radio"/> Plastic Surfaces |
| <input type="radio"/> Polyurethane | <input type="radio"/> Porcelain | <input type="radio"/> Chrome / Stainless Steel |
| | <input type="radio"/> Alum | <input type="radio"/> Ceramics / Porcelain |



Dosage



1 : 3 - 1 : 10

pH-value of about

8 | 9 | 10 | 11 | 12 | 13 | 14

PH-value of about

Working Methods





TARA HART

Containing Polyurethane
Ultra Hard Floor Polish



TARA HOSPITAL

Containing Polyethylene Hard Polish
Resistant to Alcohol And Disinfectant



TARA TOP

Polymer Floor Polish
Resistant to Alcohol And Disinfectant



TARA CRYSTAL

Crystallized Marble Polish

PVC, linoleum, wood (varnished) application is used to polish the floor coverings. Floor covering dirt, dust, keep the barriers, drawn prevents wear, wet and provides a brilliant view. Metal mesh perfectly with the high-pressure polyurethane emulsion gloss, ultra-hard and bright floor polish. High-speed polishing machine polishing gives an excellent result in the implementation of the maintenance. Considering the age and staleness floor covering is recommended to apply 3-4 coats of varnish.

Floor covering manufacturers' use of the information which they provide in terms of technique should be considered.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
5101	5 L (5,14 kg) can	4 pcs. in the box	36 cartons

Alcohol and resistant to disinfectants, polyethylene-containing hard and shiny floor polish. PVC, linoleum, wood (varnished) with the aim of floor coverings luster used. Floor covering dirt, dust, keep the barriers will prevent deterioration drawn, wet and shiny look. High-speed polishing machines to polish maintenance application gives a perfect result. Considering the age and yıpranmışlığı floor covering is recommended to apply 3-4 coats of varnish.

Floor covering manufacturers' use of the information which they provide in terms of technique should be considered.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
5102	10 L (10,24 kg) can	1 can	60 can

PVC, linoleum, wood (varnished) application is used to polish the floor coverings. Floor covering dirt, dust, keep the barriers, drawn prevents wear, wet and provides a brilliant view. Metal mesh perfectly with the high-pressure polyurethane emulsion gloss, ultra-hard and bright floor polish. High-speed polishing machine polishing gives an excellent result in the implementation of the maintenance. Considering the age and staleness floor covering is recommended to apply 3-4 coats of varnish.

Floor covering manufacturers' use of the information which they provide in terms of technique should be considered.

Art. No.	Ambalaj Türü	Ambalaj Birimi	Palet - Birimi
5105	10 L (10,24 kg) can	1 can	60 can

Is used for polishing marble and natural stone floors. Thermo-chemical action on the surface of the ground during the application of water-resistant, natural and shiny appearance. To keep the dirt floor, drawn prevents wear. Considering the age and staleness floor covering is recommended to apply 3-4 coats of varnish.

Floor covering manufacturers' use of the information which they provide in terms of technique should be considered.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
5108	5 L (5,55 kg) can	4 pcs. in the box	36 cartons

Uses

Effect

☐ Cleansing ☒ Care Maker / Safety

Suitable Surfaces

- | | | |
|--|--|---|
| <input checked="" type="radio"/> PVC | <input checked="" type="radio"/> Acid-resistant natural / plastic material | <input checked="" type="radio"/> Epoxy |
| <input checked="" type="radio"/> Linoleum | <input checked="" type="radio"/> Marble | <input checked="" type="radio"/> Wood (Polished) |
| <input checked="" type="radio"/> Elastomeric material (rubber) | <input checked="" type="radio"/> Cast Mosaic (Terrazzo) | <input checked="" type="radio"/> Laminate |
| <input checked="" type="radio"/> Enriched polyurethane elastic floor coverings | <input checked="" type="radio"/> Acid Proof Tiles | <input checked="" type="radio"/> Plastic Surfaces |
| <input checked="" type="radio"/> Polyurethane | <input checked="" type="radio"/> Porcelain | <input checked="" type="radio"/> Chrome / Stainless Steel |
| | <input checked="" type="radio"/> Alum | <input checked="" type="radio"/> Ceramics / Porcelain |



Dosage

User:

Type of floor covering and worn by operating convenience (per application)
100 m2 for the 1.5 - 2 liters

Then the basic cleaning as undiluted
Apply on dry ground!

Working Methods



Uses

Effect

☐ Cleansing ☒ Care Maker / Safety

Suitable Surfaces

- | | | |
|--|--|---|
| <input checked="" type="radio"/> PVC | <input checked="" type="radio"/> Acid-resistant natural / plastic material | <input checked="" type="radio"/> Epoxy |
| <input checked="" type="radio"/> Linoleum | <input checked="" type="radio"/> Marble | <input checked="" type="radio"/> Wood (Polished) |
| <input checked="" type="radio"/> Elastomeric material (rubber) | <input checked="" type="radio"/> Cast Mosaic (Terrazzo) | <input checked="" type="radio"/> Laminate |
| <input checked="" type="radio"/> Enriched polyurethane elastic floor coverings | <input checked="" type="radio"/> Acid Proof Tiles | <input checked="" type="radio"/> Plastic Surfaces |
| <input checked="" type="radio"/> Polyurethane | <input checked="" type="radio"/> Porcelain | <input checked="" type="radio"/> Chrome / Stainless Steel |
| | <input checked="" type="radio"/> Alum | <input checked="" type="radio"/> Ceramics / Porcelain |



Dosage

User:

Type of floor covering and worn by operating convenience (per application)
100 m2 for the 1.5 - 2 liters

Then the basic cleaning as undiluted
Apply on dry ground!

Working Methods




Uses

Effect

☒ Cleansing ☒ Care Maker / Safety

Suitable Surfaces

- | | | |
|--|--|---|
| <input checked="" type="radio"/> PVC | <input checked="" type="radio"/> Acid-resistant natural / plastic material | <input checked="" type="radio"/> Epoxy |
| <input checked="" type="radio"/> Linoleum | <input checked="" type="radio"/> Marble | <input checked="" type="radio"/> Wood (Polished) |
| <input checked="" type="radio"/> Elastomeric material (rubber) | <input checked="" type="radio"/> Cast Mosaic (Terrazzo) | <input checked="" type="radio"/> Laminate |
| <input checked="" type="radio"/> Enriched polyurethane elastic floor coverings | <input checked="" type="radio"/> Acid Proof Tiles | <input checked="" type="radio"/> Plastic Surfaces |
| <input checked="" type="radio"/> Polyurethane | <input checked="" type="radio"/> Porcelain | <input checked="" type="radio"/> Chrome / Stainless Steel |
| | <input checked="" type="radio"/> Alum | <input checked="" type="radio"/> Ceramics / Porcelain |



Dosage

User:

Type of floor covering and worn by operating convenience (per application)
100 m2 for the 1.5 - 2 liters

Then the basic cleaning as undiluted
Apply on dry ground!

Working Methods



Uses

Effect

☐ Cleansing ☒ Care Maker / Safety

Suitable Surfaces

- | | | |
|--|--|---|
| <input checked="" type="radio"/> PVC | <input checked="" type="radio"/> Acid-resistant natural / plastic material | <input checked="" type="radio"/> Epoxy |
| <input checked="" type="radio"/> Linoleum | <input checked="" type="radio"/> Marble | <input checked="" type="radio"/> Wood (Polished) |
| <input checked="" type="radio"/> Elastomeric material (rubber) | <input checked="" type="radio"/> Cast Mosaic (Terrazzo) | <input checked="" type="radio"/> Laminate |
| <input checked="" type="radio"/> Enriched polyurethane elastic floor coverings | <input checked="" type="radio"/> Acid Proof Tiles | <input checked="" type="radio"/> Plastic Surfaces |
| <input checked="" type="radio"/> Polyurethane | <input checked="" type="radio"/> Porcelain | <input checked="" type="radio"/> Chrome / Stainless Steel |
| | <input checked="" type="radio"/> Alum | <input checked="" type="radio"/> Ceramics / Porcelain |



Dosage

User:

Type of floor covering and worn by operating convenience (per application)
100 m2 for the 1.5 - 3 liters

Then the basic cleaning as undiluted
Apply on dry ground!

Working Methods





TARA CERAMICA

Floor Cleaner

For Natural or Artificial Stones



Film of lubricant or without re-forming substances, floor covering that protects the brightness, showing the effect of an ideal sweet-smelling cleaning product. Granite, marble, tiles, suitable for cleaning surfaces such as self-glossy or glazed. TARA CERAMICA daily cleansing with a humid or wet wiping method, sputtering method, and floor washing machines to be used in applications.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
6105	20 L (20,00 kg) can	1 can	32 can



TARA MOP

Dust Collection Article

Remove the layer of dust on the floor coverings, floor coverings drawn in this way is a product used to provide protection against wear and tear. Particularly self-bright (granite, ceramic, tile, PVC, linoleum, and so on., Etc.) prior to natural and artificial stones, wet mopping or cleaning machine is recommended.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
6102	5 L (4,10 kg) can	4 pcs. in the box	36 cartons



TARA PARKETT

Wood Floor Cleaner

Showing the effect of cleaning is an ideal floor covering that protects the brightness of fragrant cleaning product. Laminate, laminate, solid wood floor coverings, such as is used for cleaning and maintenance. Forming a layer of gloss glossy film surfaces due to the content of the components. TARA PARKETT is with a humid or wet wiping method, day cleaning, spray method to be used in applications.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
6103	5 L (5,00 kg) can	4 pcs. in the box	36 cartons



Uses

Effect


- ☒ Cleansing ☐ Care Maker / Safety

Suitable Surfaces

- | | | |
|--|--|---|
| <input checked="" type="radio"/> PVC | <input checked="" type="radio"/> Acid-resistant natural / plastic material | <input checked="" type="radio"/> Epoxy |
| <input checked="" type="radio"/> Linoleum | <input checked="" type="radio"/> Marble | <input checked="" type="radio"/> Wood (Polished) |
| <input checked="" type="radio"/> Elastomeric material (rubber) | <input checked="" type="radio"/> Cast Mosaic (Terrazzo) | <input checked="" type="radio"/> Laminate |
| <input checked="" type="radio"/> Enriched polyurethane elastic floor coverings | <input checked="" type="radio"/> Acid Proof Tiles | <input checked="" type="radio"/> Plastic Surfaces |
| <input checked="" type="radio"/> Polyurethane | <input checked="" type="radio"/> Porcelain | <input type="radio"/> Chrome / Stainless Steel |
| | <input checked="" type="radio"/> Alum | <input checked="" type="radio"/> Ceramics / Porcelain |



Dosage



Correct Dosing provides less consumption and protects the environment

pH-value of about



Working Methods




Uses

Effect

- ☒ Cleansing ☐ Care Maker / Safety

Suitable Surfaces

- | | | |
|--|--|---|
| <input checked="" type="radio"/> PVC | <input checked="" type="radio"/> Acid-resistant natural / plastic material | <input checked="" type="radio"/> Epoxy |
| <input checked="" type="radio"/> Linoleum | <input checked="" type="radio"/> Marble | <input checked="" type="radio"/> Wood (Polished) |
| <input checked="" type="radio"/> Elastomeric material (rubber) | <input checked="" type="radio"/> Cast Mosaic (Terrazzo) | <input checked="" type="radio"/> Laminate |
| <input checked="" type="radio"/> Enriched polyurethane elastic floor coverings | <input checked="" type="radio"/> Acid Proof Tiles | <input checked="" type="radio"/> Plastic Surfaces |
| <input checked="" type="radio"/> Polyurethane | <input checked="" type="radio"/> Porcelain | <input checked="" type="radio"/> Chrome / Stainless Steel |
| | <input checked="" type="radio"/> Alum | <input checked="" type="radio"/> Ceramics / Porcelain |



Dosage

Apply the product elastomers mop. Waited six hours and apply.

Working Methods



Uses

Effect

- ☒ Cleansing ☒ Care Maker / Safety

Suitable Surfaces

- | | | |
|--|--|---|
| <input checked="" type="radio"/> PVC | <input checked="" type="radio"/> Acid-resistant natural / plastic material | <input checked="" type="radio"/> Epoxy |
| <input checked="" type="radio"/> Linoleum | <input checked="" type="radio"/> Marble | <input checked="" type="radio"/> Wood (Polished) |
| <input checked="" type="radio"/> Elastomeric material (rubber) | <input checked="" type="radio"/> Cast Mosaic (Terrazzo) | <input checked="" type="radio"/> Laminate |
| <input checked="" type="radio"/> Enriched polyurethane elastic floor coverings | <input checked="" type="radio"/> Acid Proof Tiles | <input checked="" type="radio"/> Plastic Surfaces |
| <input checked="" type="radio"/> Polyurethane | <input checked="" type="radio"/> Porcelain | <input type="radio"/> Chrome / Stainless Steel |
| | <input checked="" type="radio"/> Alum | <input checked="" type="radio"/> Ceramics / Porcelain |



Dosage



Correct Dosing provides less consumption and protects the environment

pH-value of about



Working Methods





TEPPICH SCHAUM

Carpet Shampoo

Synthetic surfaces suitable for use in all types of carpet cleaning, upholstery and leather coatings. Active dirt, oil, solvents and contains specific polymers. For this reason, the dirt-repellent fiber protection feature. Is set to neutral and protects the tissues. Color fade and water resistant all carpeted floors (including wool carpets) is ideal. Provides a fast and effective cleaning. After washing the carpet antistatic feature a live appearance. It is recommended with single disc floor cleaning machines.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
7101	5 L (5,14 kg) can	4 pcs. in the box	36 cartons



TEPPICH MAT

Adjustable Foam Carpet Cleaner

Carpeted floors (including wool carpets) for in-depth cleaning and removing stains concentrate, sparkling, sweet-smelling cleaner. Color fade and water-resistant used textile flooring. Is recommended for use with spray-vacuum machines.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
7102	5 L (5,90 kg) can	4 pcs. in the box	36 cartons



TEPPICH FOAM

Dry Foam Carpet Shampoo

Synthetic surfaces suitable for use in all types of carpet cleaning, upholstery and leather coatings. Active dirt, oil, solvents and contains specific polymers. For this reason, the dirt-repellent fiber protection feature. Is set to neutral and protects the tissues. Color fade and water resistant all carpeted floors (including wool carpets) is ideal. Provides a fast and effective cleaning. After washing the carpet antistatic feature a live appearance. Generator which produces a dry foam carpet cleaning machines are recommended.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
7105	5 L (5,20 kg) can	4 pcs. in the box	36 cartons



BEKACLEAN

Disinfectant for
General Cleaning Product

Ministry
of Health
Approved

Bekaclean is a disinfectant general cleaning product that is licensed with BIOCIDAL by Ministry of Health. It can be used on all waterproof surfaces, textiles and carpet floorings. It is highly effective in removing bad smell caused by bacteria. Since it forms a microfilm layer on surfaces after used, it prevents dirt and dust. It has a protective effect when it comes to public health, disinfecting all environments that needs proper hygiene such as hospitals, food processing facilities, schools, public transportation vehicles, slaughterhouses, sports complexes, saunas, places of worship etc.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
9247	5 L (4,87 kg) can	4 pcs. in the box	36 cartons

Uses

Effect

- ☒ Cleansing ☒ Care Maker / Safety

Suitable Surfaces

- ● ● Carpet

Textile floor covering manufacturers
their use of information technology
be taken into account!



Dosage



Correct Dosing provides less consumption
and protects the environment

pH-value of about

6 7 8 9 10 11 12

PH-value of about

Working Methods



Uses

Effect

- ☒ Cleansing ☒ Care Maker / Safety


Suitable Surfaces

- ● ● Carpet

Textile floor covering manufacturers
their use of information technology
be taken into account!



Dosage



Correct Dosing provides less consumption
and protects the environment

pH-value of about

8 9 10 11 12 13 14

PH-value of about

Working Methods



Uses

Effect

- ☒ Cleansing ☒ Care Maker / Safety

Uygun Olduğu Yüzeyler

- ● ● Carpet

Textile floor covering manufacturers
their use of information technology
be taken into account!



Dosage



Correct Dosing provides less consumption
and protects the environment

pH-value of about

4 5 6 7 8 9 10

PH-value of about

Working Methods



Uses

Effect

- ☒ Cleansing ☐ Care Maker / Safety

Suitable Surfaces

- | | | |
|---|------------------------------|--------------------------------|
| ● ● ● PVC | ● ● ● Marble | ● ● ● Laminate |
| ● ● ● Linoleum | ● ● ● Cast Mosaic (Terrazzo) | ● ● ● Plastic Surfaces |
| ● ● ● Elastomeric material (rubber) | ● ● ● Acid Proof Tiles | ● ● ● Chrome / Stainless Steel |
| ● ● ● Enriched polyurethane | ● ● ● Porcelain | ● ● ● Ceramics / Porcelain |
| ● ● ● elastic floor coverings | ● ● ● Alum | ● ● ● Glass |
| ● ● ● Polyurethane | ● ● ● Epoxy | ● ● ● Mirror |
| ● ● ● Acid-resistant natural / plastic material | ● ● ● Wood (Polished) | ● ● ● Textile |



Dosage



pH-value of about

4 5 6 7 8 9 10

PH-value of about

Working Methods





MULTI TOP

Tough Dirt and Scratches Relief

Plastic surfaces, glass, metal, stone surfaces, wall paper, and textile upholstery vinylex designed to remove tough dirt and scratches on a special cleaner. Multitop, removes impurities difficult to be solved manually during maintenance. Also ballpoint pens, pencils, markers, inks, stamp cleaner.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
8101	750 ml (0,71 kg) spray bottle	6 pcs in the box	155 cartons



CITRUSID

Air Refresher - O-dor Absorber
Lavander Citrus

With lavender flavor, air fresher product. Unpleasant odors quickly and effectively helps absorb manner. Hospitals, hotels, aged care homes, restaurants, food companies, sports centers, problematic areas, such as waste disposal sites CITRUSID a lasting effect. Environment, smoking, food smell, the smell of sweat as well as unwanted bad smell molecules eliminates and it leaves a pleasant fragrance.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
8155	750 ml (0,68 kg) spray bottle	6 pcs in the box	155 cartons



BLUMID

Air Freshener - Fragrance Oil
Tropical Flowers

The smell of tropical flowers and fruit with a long-lasting fragrance oil. Through intense perfume contains irritating odors, leaving a pleasant smell permanently environment. Bathroom, toilet areas or brush the back of the toilet is enough to repel the inside of the box. Refreshing fragrance remains in effect up to 24 hours. Rooms should not be applied on textile use.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
8104	500 ml (0,50 kg) spray bottle	6 pcs in the box	155 cartons



LEMONID

Air Freshener - Fragrance Oil,
Lemon Flavored

Crisp, refreshing lemon flavor with a long-lasting fragrance oil. It contains heavy Thanks to destroys offensive odors perfume the environment leaves a pleasant smell permanently. Bathroom, toilet areas or brush the back of the toilet is enough to repel the inside of the box. Remains in effect up to 24 hours a refreshing fragrance. Rooms should not be applied on textile use

Art. No.	Packaging	Packaging Unit	Units Per Pallet
8106	500 ml (0,50 kg) spray bottle	6 pcs in the box	155 cartons



PROTAN

Stain and Adhesive Remover

Textile floor coverings and surfaces are used to remove all traces of black heels. Gum, various adhesives, resins, wax, silicone condition, disperziyon paints, tea, coffee stains, shoe creams solvent. CFC-free. It has sympathetic orange scent.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
7103	300 ml spray bottle	12 pcs. in the box	144 cartons

Due to its special formula, toilet urinal, toilet, bathroom and manholes that occur in poor and suppresses unwanted odors, neutralizes and prevents the formation. Expenses, grease traps, etc. In point of biologically accumulated fat is reduced. At this point and blockages in wastewater pipes and eliminates odor problems is the high concentration toilet oil. ROMEX contains high amounts of lemon-scented perfume. Used in areas where spacious, pleasant and leaves a lasting smell.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
8118	5 L (5,00 kg) can	4 pcs. in the box	36 cartons

Machines that prevent the formation of foam, is a product with high concentration. Suitable for all machines. (Cleaning machines, spray-vacuum machines) machine, putting the dirty water tank prevents keep the formation of foam also it keeps to not having damage to the connected motors.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
8103	5 L (4,90 kg) can	4 pcs. in the box	36 cartons

Product for the cleaning and maintenance of wooden furniture. Delays contamination. in-depth cleaning and maintenance. Furniture forms a film on the surface of dust, dirt, fingerprints and gives a polished look while protecting against water drop. And leaves a pleasant smell after applying permanent.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
8110	750 ml (0,74 kg) spray bottle	6 pcs in the box	128 cartons

Brass, copper, bronze, chrome, silver is used to clean up and do maintenance. It does not damage surfaces and polishes. Surfaces with a protective film layer formed by the oxidation of metals from air and moisture, prevents darkening.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
8111	200 ml (0,20 kg) bottle	6 pcs in the box	155 cartons

After the construction and operations flooring, cement, lime and mortar residues used in the extraction. Dissolves quickly in the acidic cleaning powder product. hydrochloric acidfree. Tile brick, granite, basalt, rough stones, such as acid-resistant for use in all suitable. Surfaces such as marble, calcium carbonate has to be used with caution.

Art. No.	Packaging	Packaging Unit	Units Per Pallet
8112	10 kg bucket	1 bucket	50 pcs



ROMEX

Biological O-dor Eliminator



FOAM EX

Foam Cutter



TORO SHINE

Furniture Cleaning and Care Article



COPPER GLANZ

Brass Cleaning and Care Article



ZEMENTEX

Remains of Lime and
Cement Cleaner



KLAR MATIC CHLOR

Dish Washer Detergent Medium To Hard Water Contains Chlorine



KLAR MATIC PLUS

Dish Washer Detergent For Hard Water



KLAR RINSE

Machine Clear Gloss Rinsing Agent Medium Water



KLAR RINSE PLUS

Machine Clear Gloss Rinsing Agent For Hard Water



It cleans and provides hygiene for plates, cups and other materials have frozen oil and dirt. Prevents the formation of the dishes smell. Stainless steel, glass, porcelain, cutlery, knife, such as a tray suitable for metals. Central water hardness is effective. Prevents the accumulation of scale machines. Industrial washing machines fitted with dosing pump assembly is recommended.



pH-value of about

8 9 10 11 12 13 14

Art. No.	Packaging	Packaging Unit	Units Per Pallet
9101	20 L (22,00 kg) can	1 can	32 can

It cleans and provides hygiene for plates, cups and other materials have frozen oil and dirt. Prevents the formation of the dishes smell. Stainless steel, glass, porcelain, cutlery, knife, such as a tray suitable for metals. Light contains chlorine, is effective in hard water. Prevents the accumulation of scale machines. Industrial washing machines fitted with dosing pump assembly is recommended.



pH-value of about

8 9 10 11 12 13 14

Art. No.	Packaging	Packaging Unit	Units Per Pallet
9102	20 L (23,30 kg) can	1 can	32 can
9250	5 L (5,82 kg) can	4 pcs. in the box	36 cartons

Dishwashers, detergent, rinse, and provides no residue. Porcelain, glass, materials such as stainless steel creates a glow. Rinse the dishes to be washed increases the effectiveness of stains and scratches, allows it to dry quickly without causing contaminants. Central water hardness is effective. Perfume-free, the smell does not leave. industrial dishwasher dosage is recommended for use with the pump assembly is attached to machines.



pH-value of about

3 4 5 6 7 8 9

Art. No.	Packaging	Packaging Unit	Units Per Pallet
9104	20 L (20,20 kg) can	1 can	32 can

Dishwashers, detergent, rinse, and provides no residue. Porcelain, glass, materials such as stainless steel creates a glow. Rinse the dishes to be washed increases the effectiveness of stains and scratches, allows it to dry quickly without causing contaminants. Effective in hard water. Perfume-free, the smell does not leave. Industrial washing machines fitted with dosing pump assembly is recommended.



pH-value of about

1 2 3 4 5 6 7

Art. No.	Packaging	Packaging Unit	Units Per Pallet
9105	20 L (20,70 kg) can	1 can	32 can
9251	5 L (5,20 kg) can	4 pcs. in the box	36 cartons



Industrial dishwashers and kitchen appliances are used in order to solve limescale deposits caused by water hardness. High performance with less energy helps to run the heaters. Thanks to the content of the corrosion inhibitors prevent damage.



pH-value of about

1 2 3 4 5 6 7

Art. No.	Packaging	Packaging Unit	Units Per Pallet
9106	5 L (6,32 kg) can	4 pcs. in the box	36 cartons

The resulting economic product formulated specifically for the dishes washed. Frozen grease and food residue, easily removes even the most stubborn dirt. Fragrant, foamy. Easy to rinse and does not leave stains.



pH-value of about

4 5 6 7 8 9 10

Art. No.	Packaging	Packaging Unit	Units Per Pallet
9107	20 L (20,60 kg) can	1 can	32 can
9132	5 L (5,15 kg) can	4 pcs. in the box	36 cartons

Specially formulated for washing up is a product that contains high active. Frozen oil and food residue, cleans even the most stubborn dirt. Fragrant, abundant foam. Easy to rinse and does not leave stains.



pH-value of about

4 5 6 7 8 9 10

Art. No.	Packaging	Packaging Unit	Units Per Pallet
9108	20 L (20,60 kg) can	1 can	32 can
9125	5 L (5,15 kg) can	4 pcs. in the box	36 cartons

Used in kitchens and food processing establishments. High pressure machines, and foam suitable for appliances. With a strong solvent effect on oil and dirt floors, walls, ceilings, work surfaces, machines, grills, cookers, boilers, portholes, sinks and so on. It is a product used to clean areas such as odorless. It can't be used aluminum and painted surfaces.



pH-value of about

8 9 10 11 12 13 14

Art. No.	Packaging	Packaging Unit	Units Per Pallet
9130	20 L (24,00 kg) can	1 can	32 can
9131	5 L (6,00 kg) can	4 pcs. in the box	36 cartons



KLAR KALKE

Descaling Dish Washer



KLAR HAND

Hand Dishwashing Article



KLAR HAND EXTRA

Hand Dishwashing Article
High-Active



GOTEX 19

Heavy Duty Foam Cleaner and
Degreaser For Kitchen



KLAR PREMIER

Spot Remover Pre-dipping Article

Plates, table d'hôte, porcelain, glass, plastic and stainless steel equipment; dried starch remains, consisting of cups and cups of coffee, tea stains in order to clean the front a product used in dipping process. Hygienic means of the chlorine, as well as the effect of stain removal are also available. Pre-washing is recommended to use the dishwasher to do.



pH-value of about

8 9 10 11 12 13 14

Art. No.	Packaging	Packaging Unit	Units Per Pallet
9128	20 L (23,00 kg) can	1 can	32 can
9113	5 L (5,75 kg) can	4 pcs. in the box	36 cartons

Stove, oven, grill, kitchen equipment such as grills that occur in burnt oil and dirt of stereotypes which is a product used for cleaning. Aluminum, galvanized metal, wood, linoleum, painted surfaces should be used. With a viscosity adheres well to vertical surfaces and provides maximum effect. It is also effective at high temperatures.



KLAR KRAFT

For Oven and Grill
High Performance Oil Remover



pH-value of about

8 9 10 11 12 13 14

Art. No.	Packaging	Packaging Unit	Units Per Pallet
9126	750 ml (0,84 kg) spray bottle	6 pcs in the box	155 cartons
9124	5 L (5,60 kg) can	4 pcs. in the box	36 cartons

Stove, oven, grill and hood of kitchen equipments such as burnt, stereotypes which is a product used to clean dirt and grease odor. It can't be used for aluminum, galvanized metal, wood, linoleum, painted surfaces, self-cleaning oven and grills. Clings to vertical surfaces with a good viscosity and maximum effect.



KLAR GRILL

Oven and Grill Cleaning Agent



pH-value of about

8 9 10 11 12 13 14

Art. No.	Packaging	Packaging Unit	Units Per Pallet
9112	5 L (5,55 kg) can	4 pcs. in the box	36 cartons

Stainless steel, chrome, nickel metal surface cleaning, care and polishing used. Provides clean and shine metal surfaces without scratching. application is made forming a film layer on metal surfaces to retard re-soiling, fingerprints prevents.



KLAR SHINE

Stainless Steel Polish



pH-value of about

4 5 6 7 8 9 10

Art. No.	Packaging	Packaging Unit	Units Per Pallet
9114	750 ml (0,62 kg) spray bottle	6 pcs in the box	155 cartons

Provides clean and shine metal surfaces without scratching. Stainless steel, chrome, nickel metal surface cleaning, maintenance and polishing are used. Delays in the application and fingerprint contamination prevents the formation of metal surfaces. Aerosol form.



KLAR INOX

Stainless Steel Cleaner



pH-value of about

8 9 10 11 12 13 14

Art. No.	Packaging	Packaging Unit	Units Per Pallet
9115	400 ml spray aerosol	12 pcs. in the box	84 cartons

Food processing plants, hospitals, hotels and public areas such as hard surfaces, a product that provides hygienic cleaning tools and equipment. Due to alcohol content, dries quickly without the need for rinsing areas that come into contact with food, it is not corrosive.



pH-value of about

5 6 7 8 9 10 11

Art. No.	Packaging	Packaging Unit	Units Per Pallet
9127	750 ml (0,66 kg) spray bottle	6 pcs in the box	155 cartons

The kitchens walls, floors, hygienic cleaning of tools and equipment with the aim of used. When cleaning, thanks to the hygienic effect; the action of bacteria, mold, fungi and other prevents the formation of micro-organisms.



pH-value of about

5 6 7 8 9 10 11

Art. No.	Packaging	Packaging Unit	Units Per Pallet
9118	5 L (5,40 kg) can	4 pcs. in the box	36 cartons

Harmful pesticide residues on fruits and vegetables, waxy, oily layers and removes harmful microorganisms trapped in them, provides hygiene. You can put the vegetables and fruits inside the water which is prepared with Klar Greens and also you can enjoy the natural smell and taste without having to scrub.



pH-value of about

8 9 10 11 12 13 14

Art. No.	Packaging	Packaging Unit	Units Per Pallet
9119	5 L (5,20 kg) can	4 pcs. in the box	36 cartons

Bathroom, bathtub, tiles, sinks, faucets, stove, oven, etc. ... is a product used to clean surfaces such as mineral cleaner. Minerals are implemented by means of scratching surfaces, cleans and shines. Bad odors with a pleasant scent. Sympathetic lemon scent.



pH-value of about

8 9 10 11 12 13 14

Art. No.	Packaging	Packaging Unit	Units Per Pallet
9123	750 ml (1,16 kg) bottle	12 pcs. in the box	50 cartons
9116	4.5 L (7,00 kg) can	4 pcs. in the box	36 cartons

Porcelain, plate, cup and so on. time on equipment such as cutlery and knives generated is used to fix scratches. Materials, a clean new look saves. Pre-immersion method should be used.



pH-value of about

0 1 2 3 4 5 6

Art. No.	Packaging	Packaging Unit	Units Per Pallet
9122	5 L (5,07 kg) can	4 pcs. in the box	36 cartons



KLAR FLACHE

Alcohol-Based Fast Hygienic Cleaner



KLAR ACTIV QAC

Detergent Additive Hygienic Cleaning Agent



KLAR GREENS

Hygienic Fruits and Vegetable Washing Agent



KLAR MILK

Mineral Liquid Cleaver



KLAR METAL OFF

On the porcelain plates Trace Metal Cleaning Agent



HEXA MATIC

Little Sparkle Main Cleaning Agent



HEXA MATIC SUPER

Complete Contains Bleach and TAED
Main Washing Agent



HEXA MATIC COLOR

Enzyme, Bleach Main
Washing Agent



HEXA FETT

Oil and Dirt Remover
Auxiliary Washing Agent



Automatic machines used for industrial laundries, each specially designed to give the best results at the main washing agent. Used for cleaning colored and white laundry. Cotton, synthetic fiber blends, etc.. textiles, such as appropriate. Foam control. Has a refreshing scent.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9201	20 kg bag	1 bag	48 pcs

Laundries, used in all types of industrial washing machines and all kinds of cotton textiles, synthetic fibers blended main wash complete the appropriate agent. Contain oxygen-based bleach and TAED. At low temperature (50 ° C-60 ° C) bleaching effect of a product. Many thanks to the high content of assets without the need for laundry detergents to help serve you better results. Colorful textiles, color accuracy test should be performed.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9202	20 kg bag	1 bag	48 pcs

Laundries, industrial type washing machines that can be used all kinds of cotton and synthetic blended fibers used in the main wash to wash all kinds of textile material. Bleach material is free. Colored and white clothes can be used safely. Prevents graying of laundry each water temperature is effective.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9203	20 kg bag	1 bag	48 pcs

Restaurants, hospitals, and kitchen undergarments formed very greasy, dirty spots, cleaning, home cleaning agent is used to increase the power. White, colored clothes are suitable for the use. Before the main wash can also be used with the method of pre-soaking.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9211	5 L (4,90 kg) can	4 pcs. in the box	36 cartons



Heavy dirt, oil, used to clean clothes with blood, alkali dust auxiliary washing agent. To increase the power of the main washing agent, textile cleaning product. Bleach or bleaching effect can be used with any main washing detergent. 60 ° C temperatures above the main washing detergent used in conjunction with highly successful results. It can't be used for wool and sensitive clothes.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9207	10 kg bucket	1 bucket	50 pcs

Thanks to the composition of the active oxygen stain remover and bleach safe. Has been formulated for all kinds of heavy dirt and stains. At temperatures above 60 ° C maximum performance. White in color, cotton, synthetic and mixed with suitable washing agent for textiles. With the main cleaning agent is recommended. After the color sensitivity of the test used in colored clothes.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9208	10 kg bucket	1 bucket	50 pcs

Help contain chlorine-based bleach washing agent. White, cotton and fiber mixture used for the removal of stains and bleaching of textiles. Hygienic. Thanks to the organic active chlorine at 20 ° C-50 ° C, even excellent stain removal and bleaching capability. It is suitable for white clothes and cotton textiles in particular, the product should not be used over 60 ° C. Effective in all water hardness. Colored clothes should not be used.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9209	10 kg bucket	1 bucket	50 pcs

Relieves stiffness of laundry during washing prevents the static electricity, the iron is convenience. Against wear and tear of daily use during the laundry protects, softens the skin. Pleasant smell. Dust and dirt retard textiles, detergent, and rinse prevents the accumulation is easy.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9219	20 L (19,85 kg) can	1 can	32 can



HEXA BLUT

Heavy Dirt, Oil and Blood Solvent
Auxiliary Washing Agent



HEXA OXY

Oxygen-Based Bleach and Stain
Remover Auxiliary Washing Agent



HEXA CHLOR

Based Chlorine Bleach and Stain
Remover Auxiliary Washing Agent



HEXA LIND

Fabric Softener



HEXA KALKE

Lime and Rust Remover
Washing Agent



HEXA FE

Wash Water Iron Connector Additive



HEXA ENZYM

Enzyme Protein Solvent
Auxiliary Washing Agent



HEX-EX E

Textile Paint Remover



It contains all the water hardness with phosphates help effectively washing agent. Thanks to phosphates in the water by lime washing with less detergent and less energy helps. Prevents the accumulation of lime in the machine. Grayed limed with laundry washing programs a special one-time, the accumulated dirt embedded in the lime and lime, can be used for the removal of oils.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9213	5 L (5,85 kg) can	4 pcs. in the box	36 cartons

Have prevented yellowing in the wash water is used to iron clothes. Main washing detergent, bleach, fabric softener and used in combination with neutralizing agents.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9215	5 L (5,70 kg) can	4 pcs. in the box	36 cartons

Consisting of textile fibers committed blood, milk, cocoa, eggs, body soil, meat sauces and oily stains. Regular washing is effective in cleaning stains that do not cooked. Main cleaning product used in conjunction with auxiliary washing agent.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9210	10 kg bucket	1 bucket	50 pcs

Dyes the fabric color underwear white laundry and textile products for applications in some bleach used to clean stains caused by potassium permanganat. The product can't be used for colored clothes.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9224	10 kg bucket	1 bucket	50 pcs



Textile products consisting of iron, copper, formed by substances such as rust, washing with resolved stains, mud and cement used in the removal of soils. Color and synthetic fiber textile laundry pre-test should be done in a corner of the unseen.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9217	1 L (1,00 kg) bottle	12 pcs. in the box	50 cartons

Of textile products, natural and mineral oil, cream, lipstick, nail polish, shoe polish, oil, bitumen, tar, wax, glue, pens, mayonnaise, chocolate containing organic compounds are used to remove stains. Color and synthetic fiber textile laundry pre-test should be done in a corner of the unseen.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9222	1 L (1,05 kg) bottle	12 pcs. in the box	50 cartons

Of textile products, fruits, vegetables, juices, tea, coffee, cocoa, cream, mustard, marmalade, jam, red wine, cooking sauces, grass, nicotine, ink stains used in the extraction. Color and synthetic fiber textile invisible clothes corner of the pre-test should be performed.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9218	1 L (1,05 kg) bottle	12 pcs. in the box	50 cartons

Produced for clothes and interiors, pleasant, refreshing fragrance lasting. There is no effect of taxing clothes. Environmental sprayed a long, effective purification of bad odors in addition to providing a pleasant scent is effective.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9220	750 ml (0,74 kg) spray bottle	6 pcs in the box	155 cartons
9221	5 L (4,95 kg) can	4 pcs. in the box	36 cartons



HEXA-EX A

Textile Rust Remover



HEXA-EX B

Textile Oil and Ink Remover



HEXA-EX C

Textile Tanin Solvent



HEXA FRESH

Laundry and Room Fresheners



HEXA TURBOMAT

Alkaline Liquid Laundry Product



HEXA TURBOSOL

Fat and Auxiliary Wash Soil Release Agent Product



HEXA TURBOFIN

Neutralizing Additive Product



HEXA TURBOACTIVE

Liquid Alkali Booster Product



Water hardness binding property, which is alkaline laundry products. The product is used in cotton textiles and it is effective in removing stains. HEXA TURBOMAT liquid product for laundry system Laundry system should be used only with Bayco dosage units.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9225	20 L (26,00 kg) can	1 can	32 can
9233	200 L (260,00 kg) barrel	1 barrel	4 barrel

Each water temperature and hardness of any kind of textile (white / colored, cotton, synthetics, wool, silk) cleaning alone can be used as washing agent; heavily soiled restaurant, kitchen and washing hospital with the HEXA TURBOMAT used as washing aids. All types are suitable for use in industrial washing machines. Washing contaminated with mineral oil shows in the effective cleaning power. Laundry system with only BAYCO dosage units should be used.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9226	20 L (20,35 kg) can	1 can	32 can
9234	200 L (203,50 kg) barrel	1 barrel	4 barrel

All kinds are suitable for use in automatic washing machines. Laundry detergent residue on the top which is prevented and eliminates the risk of yellowing in the dryer. By providing fewer rinsing contributes to saving water. Laundry system should be used only with Bayco dosage units.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9228	20 L (21,50 kg) can	1 can	32 can
9236	200 L (215,00 kg) barrel	1 barrel	4 barrel

Hexa Turboactive is an alkaline, liquid, auxiliary washing agent. It is particularly effective against heavy metals and essential oil contaminations, as well as being used on white and colored clothes. It is advised that you should only use it with BAYCO dosage units in laundry systems.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9241	20 L (26,00 kg) can	1 can	32 can
9242	200 L (260,00 kg) barrel	1 barrel	4 barrel



Used for all kinds of textile, liquid oxygen-based bleach. It can be used to remove any kind of stains. It can be used 60 – 80 degrees. It gives excellent results when used with home washing agent. Laundry system should be used only with Bayco dosage units.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9230	20 L (22,00 kg) can	1 can	32 can
9238	200 L (220,00 kg) barrel	1 barrel	4 barrel

Making all kinds of white and colored dyes used in fabric washing. Auxiliary washing disinfecting agent. Contains PAA. It is effective at low temperatures. Laundry system should be used only with Bayco dosage units.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9231	20 L (22,20 kg) can	1 can	32 can
9239	200 L (222,00 kg) barrel	1 barrel	4 barrel

Commercial laundries, hotels and hospitals used for laundry. This product is suitable for each kind of white and colored fabrics. It shows hygienic effect cause of the chlorine. Laundry system should be used only with Bayco dosage units.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9232	20 L (21,70 kg) can	1 can	32 can
9240	200 L (217,00 kg) barrel	1 barrel	4 barrel

The product gives natural softness to fabrics also prevents static electricity. Hasten drying and ironing easier. Washing the leaves with a pleasant scent. The product is suitable for all washing machines. Laundry system should be used only with Bayco dosage units.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9229	20 L (19,80 kg) can	1 can	32 can
9237	200 L (198,00 kg) barrel	1 barrel	4 barrel



HEXA TURBOOXY

Liquid Oxygen Based Bleach



HEXA TURBOPER

Peracid-Based Liquid Bleach



HEXA TURBOCHLOR

Chlorine Bleaches The
Stain Removing Agent



HEXA TURBOSOFT

Fabric Softener



BIO HAND

Liquid Hand Washing Agent
Ocean Scented



BIO HAND EXTRA

Liquid Hand Washing Agent
Tropic Scented



BIO HAND CREAM

Cream Hand Washing Agent



BIO HAND FOAM

Hygienic Foam Hand Washing Agent



Glycerin-containing liquid washing agent used to clean hands and face. Suitable skin pH. Plenty of foam, easy to rinse. Skin protective agents. Hygienic and economical. It is recommended for use with liquid soap dispensers.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9320	5 L (5,15 kg) can	4 pcs. in the box	36 cartons
9301	20 L (20,60 kg) can	1 can	32 can

Excellent cleaning power, removes impurities and softens the skin in a good way liquid hand washing agent. When washing hands with cream protects and softens the content. Has a pleasant odor. It is recommended for use with liquid soap dispensers.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9302	5 L (5,15 kg) can	4 pcs. in the box	36 cartons
9303	20 L (20,60 kg) can	1 can	32 can

Ultra-luxurious hand washing agent used for cleaning delicate hands. Its special protective components, protect the skin and provide care when washing their hands. Provides rich, cream and easy to rinse. It is recommended for use with liquid soap dispensers.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9309	5 L (5,15 kg) can	4 pcs. in the box	36 cartons

Used to clean hands and face sparkling, sanitary effective skin cleaning agent. Leaves a pleasant softness after washing hands. Suitable skin pH. Easy to rinse, and affordable. Skin protective agents. It is recommended for use with foam dispensers.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9306	5 L (5,08 kg) can	4 pcs. in the box	36 cartons
9307	1000 ml (1,03 kg) can	12 pcs. in the box	70 cartons



Used to clean hands and face in the foreground, where hygiene is fragrance-free, skin pH is suitable. Contains preventive and restorative ingredients moisturizes, leaves a pleasant softness after washing hands. Food industry, hospitals, schools, food used in institutions such as production facilities where hygiene is important.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9308	5 L (5,10 kg) can	4 pcs. in the box	36 cartons

Is used to clean the hands hygienically. High-risk areas (food manufacturers, kitchen staff, health workers and so on. like) suitable for use. special formula does not irritate the skin through. Any negative effect on the skin, food safety does not leave a residue. There is no need to rinse because it contains alcohol.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9312	5 L (4,30 kg) can	4 pcs. in the box	36 cartons

Bio Body is a foamy product that protects the skin and can be used for hair and body hygiene. It leaves a pleasant smoothness on body and hair after used, is appropriate for skin pH and rinsed easily. It preserves its hygienic properties since it comes with disposable cartridge packages, which also prevents bacterial growth inside plastic apparatus such as soap dispensers.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9315	5 L (5,15 kg) can	4 pcs. in the box	36 cartons

Especially heavy dirt, oil and paint used for cleaning hands. The product contains a thin include polyurethane granules. Manipulating the hands pores to dissolve dirt, sand-free Thanks to the formula goes clog channels. Orange peel oil and hand cleaner the protection of the components that have special care.



Art. No.	Packaging	Packaging Unit	Units Per Pallet
9314	10 L bucket	1 bucket	50 pcs



BIO HAND MED

Hygienic Liquid Hand Washing Agent Unscented



BIO COHOL

Alcohol-Based Hand Hygiene Cleaning Article



BIO BODY

Hair & Body Shampoo



BIO HAND PASTE

Industrial Skin Cleaning Cream



Entitled Spraying 650 ml Empty Bottle - Surface Cleaner
For General Cleaning Products
Art. No. 8510



Spray Head, Foam Apparatus 650 ml Empty Bottle - Acid Bathroom Cleaner Bathroom, Toilet Products
Art. No. 8511 (Acid)



Spray Head, Foam Apparatus 650 ml Empty Bottle Acid-Free Bathroom Cleaner Bathroom, Toilet Products
Art. No. 8512 (Acid-Free)



Spray Head, Foam Apparatus 650 ml Empty Bottle - Toilet Cleaner Toilet For Products
Art. No. 8513



Spray Head 650 ml empty bottle - Disinfectant Cleaner
For Surface Disinfection
Art. No. 8514



Spray Head 500 ml Empty Bottle - Air Conditioner
Room, WC for perfume
Art. No. 8515



Spray head 500 ml Empty Bottle - Glass Cleaner
For Glass Cleaning Products Art. No. 8516



Microfiber Cleaning Cloths
Red, Blue, Yellow, Green, White and Glass Cloth
Art. No. 8550, 8551, 8552, 8553, 8554, 8555



ASS 1000
1 Chemical Inputs
Product Dosage Unit
Art. No. 8520



BAYCO MULTI COMPACT 5
5 of Chemical Inputs
Product Dosage Unit
Art. No. 8521



BAYCO MULTI COMPACT 4 BUCKET
4 of Chemical Inputs
Product Dosage Unit
Art. No. 8540



ASS 2000
Hand Pump
Art. No. 8522



TOPDOS
Title 20 ml dosage
1 L Round Bottle is Screwed On.
Art. No. 8500



1000 ml Cartridge Foam equipment
Art. No. 8551



ASS 2200
Foam and Disinfectant Unit
Art. No. 8523



APM 0150
Dischwasher Detergent Pump
Art. No. 8524



APM 0250
Dischwasher Rinse Aid Pump
Art. No. 8525



APM 0350
Dischwasher Detergent - Rinse Pump
Art. No. 8526

- DESCRIPTION -

BAYCO PRODUCTS CATALOG

- BLUE** Color Surface Cleaning
- RED** Color bath, WC Cleaning
- GREEN** Color Floor Cleaning

BAYCO products with high performance and reliability Is produced by color coding so that European provides ease of use to consumers.

Catalogs and labels, the pH-values, dosage amounts (pictograms in text printed) areas Information about the working methods and for users router and supportive.

SALES, SERVICE, AND EDUCATION

Product functionality and professional shows our staff consulting and logistics services, customer-focused cleaning constitute the building blocks of our concept. BAYCO customer representatives and technical unit within the company, cleanliness, and knowledge of issues related to the implementation of care products, transfer them to you at the application site.

Quality Certificates;

TS EN ISO 18001:2007
ISO 9001:2008
ISO 14001:2004



STATEMENT OF USE

- **NOT SUITABLE FOR**
- **CONTINGENT IN ACCORDANCE**
- **APPROPRIATE**

“CONTINGENT IN ACCORDANCE WITH”-shaped arrangement, the subject associated with a pre-made test is required.

All information about the suitability of the product in general, each product separate trials for related. Compliance Information concentrate is not connected. Manufacturers of flooring materialObserve warnings on its use.Our products information on the use of binding can be without. This information is only a hint function due to changing conditions sees. Products in terms of legal and moral rules every man for himself a practitioner uses.

Uses



Working Methods



“Experience from quality”

bayco.com.tr

Country Distributors :



BAYCO
CLEANERS | CARE | HYGIENE

BİOBEKA STERİL KİMYA SAN.VE TİC.LTD.ŞTİ.
Kültür mahallesi, Kör kadı sokak No: 28/2
Ulus, Beşiktaş, İstanbul / TURKEY
Tel. : 0212 803 10 72
0850 203 85 04
www.biobeka.com